DIRECTIONS FOR USE

FOR USE ON DOGS AND PUPPIES FROM 8 WEEKS OF AGE. FOR USE ON CATS AND KITTENS FROM 8 WEEKS OF AGE. DO NOT USE ON RABBITS. DO NOT APPLY NEOVEON PLUS FOR DOGS TO CATS AND VICE VERSA.

HOW TO APPLY:

Snap off one blister pack along the segment line. Use scissors to cut open the blister pack and peel off the foil from the cut line and take out the tube.

- 1. Hold the tube in an upright position facing away from you and your pet's face and eyes. Peel the ring lock off, then screw the cap off the tube.
- 2. Sites of Application:

Cats - at the base of neck and between the shoulders.

Dogs - between the shoulder blades.



Cats

At the back of the neck



Dogs between the shoulder blades

- 3. The pet should be standing for easy application. Remove any collar prior to application and replace when product is dry. Part the hair until the skin is visible.
- 4. Place the tip of the tube on the skin and squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.
- **5.** Make sure the tube is empty after application and discard empty tube as per the Disposal instructions.
- **6.** Record the treatment date and repeat monthly as required.

DISPOSAL

Dispose of empty container by wrapping with paper and putting in garbage.

STORAGE

Store below 30°C (room temperature). See carton for batch number and expiry date.

DOSAGE				
ANIMAL & BODYWEIGHT	TUBE DOSE	NUMBER OF TUBE PER USE		
Cats	0.50mL	1		
Small Dogs up to 10KG	0.67mL	1		
Medium Dogs 10 - 20KG	1,34mL	1		
Large Dogs 20 - 40KG	2,68mL	1		
Extra Large Dogs 40 - 60KG	4.02mL	1		
Dogs over 60KG*	Tubes of different volumes may be combined to provide a suitable dose.			

TREATME	TREATMENT FREQUENCY					
	DOGS	CATS				
FLEAS	Monthly application is recommended. Kills all flea stages for at least 1 month, including flea in the pet's surroundings. Prevents and controls flea re-infestation. Controls and treats flea allergy dermatitis. All animals in a household should be treated at the same time and especially important to treat all household animals if any pet is allergic to fleas (flea allergy dermatitis).	least 1 month, including bundings. Prevents and station. Controls and strmatitis. hold should be treated at pecially important to treat if any pet is allergic to natitis). Kills all flea stages for at least 1 month, including flea in the pet's surroundings. Prevents and controls flea re-infestation. Controls and treats flea allergy dermatitis. All animals in a household should be treated at the same time and especially important to treat all household animals if any pet is allergic to fleas (flea allergy dermatitis). Ition is recommended. cks for up to 2 weeks. guarantee prevention of ticks are not killed chment. Daily searching of minimise the risk of tick hould continue throughout on and see your e on searching techniques is recommended.				
PARALYSIS TICKS	Two-weekly application is recommended. Controls paralysis ticks for up to 2 weeks. The product does not guarantee prevention of tick paralysis because ticks are not killed immediately after attachment. Daily searching of dogs is necessary to minimise the risk of tick paralysis. Searching should continue throughout the paralysis tick season and see your veterinarian for advice on searching techniques and tick seasonality.					
BROWN DOG TICKS	Monthly application is recommended. Controls brown dog ticks for up to 1 month.					
SARCOPTIC MANGE MITES	Multiple monthly treatments are recommended for elimination of mites. Aids in control.	N.A.				
BITING LICE	Controls biting lice for up to 1 month. Treat all household dogs at the same time.	Controls biting lice for up to 1 month. Treat all household cats at the same time,				

GENERAL DIRECTIONS

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WATER FASTNESS

DOGS - Dogs may be treated with NEOVEON Plus For Dogs following bathing and shampooing once they are dry. The product will spread over the coat of the animal within 24 hours. Once spread, NEOVEON PLUS is water fast and it is recommended not to bath or shampoo dogs during the 48 hours after treatment. Thereafter, bathing, water immersion or exposure to sunlight will not reduce the efficacy of NEOVEON PLUS.

CATS - It's recommended not to bath or shampoo cats during the 24 hours after treatment with NEOVEON Plus For Cats. The product will spread over the coat of the cat within 24 hours. Once spread, NEOVEON Plus For Cats is water fast.

SAFETY IN DOGS

NEOVEON Plus For Dogs has demonstrated a significant margin of safety for use in dogs and puppies and in breeding, pregnant or lactating bitches. If licking occurs shortly after application, a brief period of hyper-salivation may occur. Do not use NEOVEON Plus For Dogs if you or your pet have a known hypersensitivity to insecticides or alcohol.

SAFETY IN CATS

NEOVEON Plus For Cats has demonstrated a significant margin of safety for use in cats and kittens over 8 weeks of age and in breeding, pregnant or lactating queens. If licking occus shortly after application, a brief period of hypersalivation may occur dur to the taste of vehicle. Do not use NEOVEON Plus For Cats if you or your pet have a known hypersensitivity to insecticides or alcohol.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. If product enters eyes, wash it out immediately with water. Wash your hands after use.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre, phone 131 126.

CAUTION

KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS

NEOVEON PLUS (FIPRONIL plus (S)-METHOPRENE) FOR DOGS

For the treatment and prevention of flea infestation (Ctenocephalides spp), and control of brown dog ticks (Rhipicephalus sanguineus), paralysis ticks (Ixodes holocyclus) and biting lice (Trichodectes canis) on dogs and puppies. Also aids in the control of sarcoptic mange (Sarcoptes scabiei var. canis) in dogs.

NEOVEON Plus For Dogs has a rapid onset of action and kills re-infestations with newly acquired adult fleas for at least one month.

NEOVEON Plus For Dogs also prevents the development of flea eggs, larvae and pupae produced by adult fleas acquired for three months after treatment.

NEOVEON Plus For Dogs may be used for the treatment and control of Flea Allergy Dermatitis in dogs.
NEOVEON Plus For Dogs may be used as the only product for flea control as it breaks the life cycle on the animal and in its surroundings by killing all stages of fleas.

NEOVEON Plus For Dogs controls brown dog ticks for up to one month, and paralysis ticks for up to two weeks after application. Daily search of dogs is necessary to minimize the risk of tick paralysis. Searching should continue throughout the paralysis tick season.

NEOVEON PLUS (FIPRONIL plus (S)-METHOPRENE) FOR CATS

For the treatment and prevention of flea infestation (*Ctenocephalides spp*) and biting lice (*Felicola subrostratus*) on cats and kittens.

NEOVEON Plus For Cats has a rapid onset of action and kills re-infestations with newly acquired adult fleas for at least one month.

NEOVEON Plus For Cats also prevents the development of flea eggs, larvae and pupae produced by adult fleas acquired for six weeks after treatment.

NEOVEON Plus For Cats may be used for the treatment and control of Flea Allergy Dermatitis in cats.

NEOVEON Plus For Cats may be used as the only product for flea control as it breaks the life cycle on the animal and in its surroundings by killing all stages of fleas.



FLEAS, TICKS & LICE

1	100 mg/mL FIPRONIL, 90 mg/mL (S)-METHOPRENE		
	FOR SMALL DOGS UP TO 10KG	0.67mL/TUBE	
	FOR MEDIUM DOGS 10 - 20KG	1.34mL/TUBE	
	FOR LARGE DOGS 20 - 40KG	2.68mL/TUBE	
	FOR EXTRA LARGE DOGS 40 - 60KG	4.02mL/TUBE	

FLEAS & LICE

100 mg/mL FIPRONIL, 120 mg/mL (S)-METHOPRENE

FOR CATS 0.5mL/TUBE



NEOVE PHARMA AUSTRALIA PTY LTD ACN 140 367 442 303c, Level 3, 276 Pitt Street, Sydney NSW 2000 Infoline: 1300 052 066 www.neovepharma.com.au



APVMA APPROVAL NO.:

85456/117532, 85455/117531, 85454/117530, 83299 /117533, 83298 /117529